Neches River Tidal and Hillebrandt Bayou TMDL Public Meeting

Water Quality Planning and Implementation in Texas

Dania Grundmann
Texas Commission on Environmental Quality

Dania Grundmann @tceq.texas.gov

512/239-3449

August 22, 2019




The Law requires us to determine...

• What are the problems?

• How bad are they?

• How can they be addressed?



Planning & Program Management

Establish or revise water quality standards; develop monitoring plans; adjust restoration plans.

Implementation

Implement pollutions source controls—such as permits, rules, nonpoint source management practices—with multiple parties.

Water Quality Standards

Establish quality goals and define beneficial uses

Monitoring

Collect water quality data for assessment, strategy development, and implementation tracking.

Strategy Development

Develop new strategies based on assessment, such as TMDLs or evaluation of the standards.

Assessment & Targeting

Assess water quality and identify water bodies that do not meet standards.

Establish priorities.

Texas Surface Water Quality Standards

 Explicit goals for the quality of streams, rivers, lakes, and bays throughout the state

Texas
Surface
Water
Quality
Standards

Texas Surface Water Quality Standards are State Rules codified in Title 30 Chapter 307 of the Texas Administrative Code

 The Standards identify appropriate uses (and associated criteria) for surface waters:

- Aquatic life
- Recreation
- Public Water Supply
- Fish Consumption/Oyster Waters



Standards for Selected Streams

	USES						CRITERIA							
NECHES RIVER BASIN		Recreation	Aquatic	Domestic	Other	Cl ⁻¹	SO ₄ -2	TDS	Dissolved	pН	Indicator	Temperature		
			Life	Water		(mg/L)	(mg/L)	(mg/L)	Oxygen	Range	Bacteria ¹	(°F)		
Segment No.	SEGMENT NAME			Supply					(mg/L)	(SU)	#/100ml			
0601	Neches River Tidal	PCR	I						3.0	6.0-8.5	35	95		
0602	Neches River Below B. A. Steinhagen Lake	PCR	Н	PS		50	50	200	5.0	6.0-8.5	126	91		
0603	B. A. Steinhagen Lake	PCR	Н	PS		50	50	200	5.0	6.0-8.5	126	93		
0604	Neches River Below Lake Palestine	PCR	Н	PS		50	50	200	5.0	6.0-8.5	126	91		
0605	Lake Palestine	PCR	Н	PS		50	50	200	5.0	6.0-8.5	126	90		
0606	Neches River Above Lake Palestine	PCR	I	PS		100	50	300	4.0	6.0-8.5	126	95		
0607	Pine Island Bayou	PCR	Н	PS		150	50	300	5.0	6.0-8.5	126	95		

	USES				CRITERIA							
NECHES-TRINITY COASTAL BASIN		Recreation	Aquatic	Domestic	Other	Cl ⁻¹	SO ₄ -2	TDS	Dissolved	pН	Indicator	Temperature
			Life	Water Supply		(mg/L)	(mg/L)	(mg/L)	Oxygen (mg/L)	Range (SU)	Bacteria ¹ #/100ml	(°F)
Segment No.	SEGMENT NAME								(g =)	()		
0701	Taylor Bayou Above Tidal	PCR	I			400	100	1,100	4.0	6.5-9.0	126	95
0702	Intracoastal Waterway Tidal	PCR	Н						4.0	6.5-9.0	35	95
0703	Sabine-Neches Canal Tidal	PCR	Н						4.0	6.5-9.0	35	95
0704	Hillebrandt Bayou	PCR	I			250	100	600	4.0	6.5-9.0	126	95

Primary Contact Recreation Use

- Primary contact recreation activities are those involving a significant risk of ingestion of water, such as wading by children or swimming.
- The primary contact recreation use is not met if the geometric mean of all indicator bacteria is greater than:
 - 126 cfu/100 mL for *E. coli* in freshwater streams
 - 35 cfu/100 mL for Enterococci in tidal streams

Monitoring

- The SWQM program coordinates the collection of physical, chemical, and biological samples from more than 1,800 surface water sites statewide.
 - Surface water data collected by Clean Rivers Program partners, and other local, regional, and state cooperators.
 - This data may be used by TCEQ to determine compliance with the Texas Surface Water Quality Standards through the Texas Integrated Report.
- Neches River Tidal
 - TCEQ Region 10 and LNVA
- Hillebrandt Bayou
 - TCEQ Region 10



Assessment

- The Texas Integrated Report of Surface Water Quality
 - Requirement of Clean Water Act Sections 305(b) and 303(d).
 - Assessment period of seven years
 - New report every two years in even-numbered years. The 303(d)
 List is submitted to EPA for approval.
- Draft 2016 Texas 303(d) List



Section 303(d) of the Clean Water Act

- Identify water bodies that do not meet water quality standards, or are not expected to meet standards within two years (threatened)
- Establish schedules for developing total maximum daily loads (TMDLs)
- Develop TMDLs and Implementation Plans that identify parties responsible for reducing pollution loads

TMDL: Total Maximum Daily Load

- How much is too much?
- How bad is the problem?
- Where is it coming from?







TMDL – Total Maximum Daily Load


 Determines the maximum amount (load) of a pollutant that a water body can receive and still maintain uses

Allocates this load to broad categories of sources in the

watershed.

Adopted by the TCEQ

Approved by the EPA




Implementing Legislation

- Federal mandate for state TMDL programs: Clean Water Act of 1972 and its amendments (U.S. Code 1987)
- Section 303(d)(1)(C) of the Clean Water Act; EPA's implementing regulations in 40 CFR 130
- Texas develops TMDLs for water bodies in Category 5
 of its Texas Water Quality Inventory and 303(d) List


Hillebrandt Bayou

- From the confluence with Taylor Bayou to SH 124
 - Lower portion depressed oxygen impairment
 - Upper portion elevated bacteria levels since 2010 Integrated Report
 - 255 cfu/100mL E. coli
 (Dec. 2009 Nov. 2016)



Neches River Tidal

- From the confluence with Sabine Lake to Neches River Saltwater Barrier (four assessment units)
 - Fish consumption advisory (PCBs) since 2012 IR
 - Elevated bacteria levels since 2012 IR
 - 102, 300, 166, 170 cfu/100
 mL Enterococci (Dec. 2009 –
 Nov. 2016)



Potential Sources of Bacteria


- Wastewater treatment facilities,
- Urban stormwater runoff not covered by permit,
- Land application fields,
- On-site sewage facilities,
- Wildlife,
- Agricultural activities and animals,
- Unmanaged and feral animals, and
- Domesticated animals/pets

TMDL Equation

$$TMDL = WLA_{(WWTF)} + WLA_{(RSW)} + LA + FG + MOS$$

- WLA_(WWTF) wasteload allocation for WWTF discharges
- WLA_(RSW) wasteload allocation for aggregate regulated stormwater discharges
- LA load allocation
- **FG** future growth
- MOS margin of safety
 - Units per day

TMDL Allocations





Questions?

Dania Grundmann
512-239-3449
Dania.Grundmann@tceq.texas.gov